

USBP

U.S. BULLET PROOFING



BALLISTIC



BLAST



STORM IMPACT



FORCED ENTRY

**PROTECTING
PEOPLE AND PROPERTY®**

30+ YEARS EXPERIENCE

USBP

U.S. BULLET PROOFING

United States Bullet Proofing, (USBP) specializes in manufacturing and fabricating of the most advanced, aluminum high security solutions available for ballistic and/or blast, storm impact and forced entry protection.

Our job is *Protecting People and Property®*, and we take that responsibility very seriously—as evident in the pride, attention to detail and engineering that goes into producing the high-caliber quality products that we manufacture. Our products are used by the highest levels of government and private entities around the world, garnering **USBP** notoriety as an industry leader.

Demand the very best, especially when your life or the lives of others depend on it. *We look forward to helping you with your next security project.*



BALLISTIC



BLAST



STORM IMPACT



FORCED ENTRY

WHY USBP

CUSTOMER-FOCUSED

Customers are our #1 priority and we are committed to delivering a best-in-class customer service experience to ensure your project is smooth from beginning to end.

QUALITY

A great deal of engineering goes into our products to provide the optimal levels of protection, long-lasting durability, an aesthetically-pleasing appearance and fully tested solutions to satisfy all of today's modern architectural design standards.

CUSTOM CAPABILITIES

We are well-renowned for our ability to provide tailor-built solutions that make your project vision a reality.

INNOVATION

We are renowned for our innovative solutions that enhance the protection, functionality, quality, energy efficiency, durability and ease of installation for our customers.

PRODUCT GUARANTEE

We stand behind all of our products and offer a **1-year limited warranty** ensuring you the peace of mind that your product will be free from any issues or manufacturing defects.



HIGH SECURITY ACCESSORIES

VOICE COMMUNICATIONS



USST

NATURAL VOICE COMMUNICATION DEVICE

- UL 752 Level 1-3 Ballistic Protection
- Stainless steel, evenly spaced, concentric louvers

NEW!

WINDOW MOUNTED UL 752 LEVEL 8 AMPLIFIED COMMUNICATION DEVICE

- UL 752 Levels 1-8 Ballistic Protection
- Provides amplified clear voice communications with high-level protection from high power rifles
- Includes a microphone and speaker for both window mount and counter for staff positions



UST 3

ELECTRONIC COUNTERTOP COMMUNICATION DEVICE

- Through countertop wiring eliminates hole in protective glazing
- Ballistic rating not required since not part of ballistic protection system



UST 1

WINDOW MOUNTED AMPLIFIED COMMUNICATION DEVICE

- UL 752 Levels 1-3 Ballistic Protection
- Provides amplified clear voice communications



THROUGH GLASS SPEAKER



MICROPHONE WITH SPEAKER

TRAYS + DRAWERS



USDT 100

RECESSED DEAL TRAY

- UL 752 Level 1-8 Ballistic Protection
- 10" W x 8"D x 1-3/8"H large transfer area
- 12" x 10" overall size (with flanges)
- Optional surface mount and counter available
- Stainless steel finish
- Custom sizes available



USDT 94

SLIDING RECESSED DEAL TRAY

- UL 752 Level 1-8 Ballistic Protection
- 7-3/4" W x 6-1/4" L x 1-1/4"H transfer area
- Optional surface mount and counter available
- Stainless steel finish
- Custom sizes available



USDT 150

PASS-THRU DRAWER

- UL 752 Level 1-8 Ballistic Protection
- 13-3/4" W x 20" L x 4"H transfer area
- Stainless steel finish



USDD 330

PASS-THRU DRAWER WITH INTEGRATED COMMUNICATIONS


- UL 752 Level 1-8 Ballistic Protection
- 13-3/4" W x 6-1/8" H x 10-3/8" L transfer area
- Stainless steel



USDD 198

PASS-THRU DRAWER WITH DEAL TRAY

- UL 752 Level 1-8 Ballistic Protection
- Removable deal tray allows for passing large objects
- Stainless steel



USCPR

CLEAR PACKAGE RECEIVER

- UL 752 Levels 1-3 Ballistic Protection
- 16" W x 16" H x 16" D
- Interlock prevents opening of both doors simultaneously

HIGH SECURITY DOORS

USBP's high security aluminum doors are designed to provide all types of protection while offering a modern and aesthetically pleasing appearance and long-lasting durability with a light-weight composition for easier handling. Our doors incorporate top quality hardware and a reinforced heavyweight hinge to ensure your door will be reliable and easy to operate and maintain.



FULL



HALF



DOUBLE



OPAQUE

USAD 1000 ALUMINUM DOOR

USBP CERTIFICATION OR TESTING STANDARDS (TESTED TO LISTED OR EQUIVALENT STANDARD)

- **BALLISTICS:** UL752 Levels 1-8
- **BLAST:** Calculations to be provided per GSA/ISC and UFC
- **FRAME PROFILE:** 2.5"W x 4.5"D
- **DOOR SIZE:** 3' x 7' with custom sizes available
- **DOOR THICKNESS:** 2-3/4"
- **STILES:** Monumental (5-5/16")
- **FULL, HALF, DOUBLE OR OPAQUE**
- **GLAZING THICKNESS:** 1" – 2-1/8"

DOOR OPTIONS:

- The USAD 1000 door is available as single or double doors swinging or single sliding configuration. Glass side lites and / or transoms are available. The USAD 1000 15R is only available as a single door configuration.
- Standard finish on all aluminum products is clear or dark bronze anodized. Custom color, Kynar paint, wood finish, and stainless steel cladding are also available.
- All doors are custom made and can be designed to interface with any building automation and electronic security system.



FULL



HALF



DOUBLE



OPAQUE

USAD 1000 15R ALUMINUM DOOR

USBP CERTIFICATION OR TESTING STANDARDS (TESTED TO LISTED OR EQUIVALENT STANDARD)

- **BALLISTICS:** DOS SD-STD-01.01, Department of State Rifle Ratings (7.62 and 5.56)
- **BLAST:** Calculations to be provided per GSA/ISC and UFC
- **FORCED ENTRY:** DOS SD-STD-01.01, Department of State 5 and 15 minutes ratings
- **FRAME PROFILE:** 3"W x 5"D
- **DOOR SIZE:** 3' x 7' with custom sizes available
- **DOOR THICKNESS:** 2.5"
- **GLAZING THICKNESS:** 1-1/2"

Ask about USBP's patented **Quick-Throw Thumb Turn** available on all USAD 1000 15R doors, which provides a fast and intuitive locking mechanism for emergency situations.

- Available with a wide range of hardware options including commercial mortise locksets, rim mounted exit devices, magnetic locks and automatic operators.

NOTE All USAD 1000 15R doors are factory assembled and field glazed. Single doors are shipped pre-hung in USBP's security frames.

HIGH SECURITY DOOR OPTIONS

STANDARD FINISH



**CLEAR
ANODIZED**



**DARK BRONZE
ANODIZED**

HARDWARE OPTIONS

USBP delivers an array of hardware solutions suited for any security application. Shown here are our best-selling and trusted options, but consult with our security specialists to explore solutions tailored to your own requirements.



**LADDER
PULL**



**PANIC
BAR**

WOOD FINISH OPTIONS

USBP offers 14 wood finish options, each featuring a realistic wood grain design applied to our aluminum system using a sublimation process. This advanced technique provides exceptional durability and weather resistance—resulting in a high-quality, long-lasting finish with a stunning visual appeal.



KNOTTY PINE



**COLONY
MAPLE**



**EUROPEAN
CHERRY**



OAK



TABLE CHERRY



**AMERICAN
MAPLE**



**GOLDEN
OAK**



**WOOD
TEAK**



CHERRY



**CHERRY WITH
FLAME**



**NATIONAL
WALNUT**



**DARK
WALNUT**



**AGED
DARK OAK**



**AGED
LIGHT OAK**

HIGH SECURITY WINDOWS

USBP's high-security aluminum windows are designed to deliver comprehensive protection against multiple threat types. For enhanced energy efficiency, we also offer a specialized line of products featuring a full thermal break—ensuring you don't have to compromise security for sustainability.



USAW 200

OPERABLE INSWING INTERIOR ALUMINUM WINDOW

USBP CERTIFICATION OR TESTING STANDARDS
(TESTED TO LISTED OR EQUIVALENT STANDARD)

- **BALLISTICS:** UL 752 Levels 1-8
 - **BLAST:** Calculations to be provided per GSA/ISC and UFC
-
- **FRAME SIZE:** 1-1/2"W x 4-1/8"D
 - **GLAZING THICKNESS:** 1" to 2-1/8"
 - **APPLICATIONS:** Back-glaze system to protect specific area of a building without affecting exterior architectural appearance.



USAW 300

FIXED INTERIOR ALUMINUM WINDOW

USBP CERTIFICATION OR TESTING STANDARDS
(TESTED TO LISTED OR EQUIVALENT STANDARD)

- **BALLISTICS:** UL 752 Levels 1-8
-
- **FRAME SIZE:** 1-1/2" x 4-1/8" with custom sizes available
 - **GLAZING THICKNESS:** 1" to 2-1/8"
 - **APPLICATIONS:** Ideal for transaction window in secure office within a building




USAW 400

FIXED EXTERIOR ALUMINUM WINDOW

USBP CERTIFICATION OR TESTING STANDARDS
(TESTED TO LISTED OR EQUIVALENT STANDARD)

- **BALLISTICS:** UL 752 Levels 1-8
 - **BLAST:** Calculations to be provided per GSA/ISC and UFC
-
- **FRAME SIZE:** 2-1/2"W x 4-1/2"D with custom sizes available
 - **GLAZING THICKNESS:** 1 to 2-1/8"
 - **APPLICATIONS:** Ribbon, store front, curtain wall and punched openings

Available with thermally enhanced or full 1" thermally broken frame for optimal energy conservation.



USAW 800

HIGH SECURITY - FIXED EXTERIOR ALUMINUM WINDOW

USBP CERTIFICATION OR TESTING STANDARDS
(TESTED TO LISTED OR EQUIVALENT STANDARD)

- **BALLISTICS:** DOS SD-STD-01.01, Department of State Rifle Ratings (7.62 and 5.56)
 - **BLAST:** Calculations to be provided per GSA/ISC and UFC
 - **FORCED ENTRY:** DOS SD-STD-01.01, Department of State 5 and 15 minutes ratings
 - **ENERGY EFFICIENT:** ASTM E283, ASTM 330, ASTM 331 AND AAMA 501.1, NFRC 100/200/500 AND AAMA 501.5
 - **ACOUSTIC TESTING:** ASTM E90, E413, E1332 AND E2235
-
- **FRAME SIZE:** 2-1/2"W x 6"D
 - **GLAZING THICKNESS:** 1" to 2-3/8"
 - **APPLICATION:** Any location where an extremely high level of forced entry protection is required

Full Thermally Broken Frame System for optimal energy conservation

HIGH SECURITY WINDOW OPTIONS

WINDOWS OPTIONS:

1. USBP has extensive experience in security glass laminates and can assist you in determining the appropriate level of glazing required for your project at a very competitive price.
2. Standard finish on all aluminum products is clear or dark bronze anodized. Custom color, Kynar paint, wood finish (same options as doors) and stainless steel cladding are also available.
3. Custom color, paint, aluminum, brass and stainless steel cladding are also available.
4. **ACCESSORIES:** Select products are available with built-in accessories such as deal trays, communication devices or transaction drawers. Contact USBP or refer to our accessories section for more details.

WALL ARMOR

USBP offers a complete line of fiberglass and steel wall armor to ensure the walls of your facility are fully protected.

Wall armor is ideal for all of the walls which surround bullet resistant curtain walls, storefront or transaction systems to ensure you have a complete and formidable protective barrier for your facility.

USBP CERTIFICATION OR TESTING STANDARDS

- **BALLISTICS:** UL 752 Levels 1-8
- **STANDARD PANEL SIZE:** 48" x 96" with custom sizes available



**BALLISTIC
FIBERGLASS**



**BALLISTIC
STEEL**

SECURITY VESTIBULE PACKAGE



**1. SECURITY DOORS AND
STOREFRONT SYSTEM**

**2. RECEPTION OR
TICKET WINDOW**

3. WALL ARMOR

**4. PACKAGE RECEIVERS OR
TRANSACTION DRAWERS**

Protect Your Entryway with a Comprehensive Ballistic Vestibule System

Secure access is no longer optional—it's essential. USBP provides fully ballistic-rated security vestibules designed to safeguard both people and property. Our solutions are engineered for maximum protection and ease of integration.

Connect with a USBP security expert today to discover how we can elevate your building's defense.

STORM IMPACT WINDOWS & DOORS

USBP's storm impact windows and doors are engineered, tested, and certified to deliver complete protection in the most severe weather conditions. Featuring FEMA-tested systems with high ballistic ratings, our products undergo rigorous pressure and high-wind impact testing to withstand wind speeds up to 250 mph. Tested to meet stringent industry standards, USBP solutions help safeguard people and property during the most violent storms while supporting eligibility for FEMA grant funding.



USAD 1000 FEMA WINDOW

STORM IMPACT & BALLISTIC SECURITY DOOR

USBP CERTIFICATION OR TESTING STANDARDS

- **STORM IMPACT:** ICC 500 (2023), FEMA P-361 (2024) Ed. 5
 - Design Tornado Pressure: +248 / -312 psf
 - Design Hurricane Pressure: +167 / -223 psf
 - Impact Rating: 15lb @ 100 mph
- **BALLISTICS:** UL 752, Level 5 - 11th Edition, UL-RF-B - 12th Edition
- **TYPE:** Single leaf, glazed door assembly
- **SWING:** Outswing
- **DOOR THICKNESS:** 2-1/2"
- **DOOR HANDLING:** Left-Hand / Reverse or Right-Hand / Reverse
- **GLAZING MAKEUP:** Proprietary USBP-designed 1-3/4" clear multi-ply glass and polycarbonate composition

USAW 650 FEMA DOOR

STORM IMPACT & BALLISTIC SECURITY WINDOW

USBP CERTIFICATION OR TESTING STANDARDS

- **STORM IMPACT:** ICC 500 (2023), FEMA P-361 (2024) Ed. 5
 - Design Tornado Pressure: +248 / -312 psf
 - Design Hurricane Pressure: +167 / -223 psf
 - Impact Rating: 15lb @ 100 mph
 - Air Infiltration / Exfiltration and Water Penetration:
- **BALLISTICS:** UL 752, Level 5 - 11th Edition, UL-RF-B - 12th Edition
- **ENERGY EFFICIENT:** NFRC 102-2026, U-FACTOR 0.44 Btu/hr • ft² • °F
- **AIR INFILTRATION / EXFILTRATION AND WATER PENETRATION:** ASTM E283 / E283M-19, ASTM E331-00 (2023)
- **FRAME SIZE:** 2-1/2"W x 6-1/2"D
- **GLAZING MAKEUP:** Proprietary USBP-designed 2-1/4" insulated glass and polycarbonate composition featuring a low-E coating and Argon gas fill for enhanced thermal performance and energy efficiency.
- **APPLICATION:** Any location where an extremely high level of extreme weather and high security is required.



Full Thermally Broken Frame System for optimal energy conservation

SECURITY RATINGS AND TESTING

BALLISTIC STANDARDS

The most common ballistic standards is UL 752. When ordering products, please specify the required level of ballistic and if unsure, be sure to consult with one of our security consultants.

UL 752 STANDARD FOR BALLISTIC PROTECTION RATINGS

RATING	WEAPON	AMMUNITION	WEIGHT (grains)	WEIGHT (grams)	MINIMUM FPS	MAXIMUM FPS	NO. OF SHOTS
Level 1	 Beretta 92 Compact	 9mm Full Metal Copper Jacket with Lead Core	124	8.0	1175	1293	3
Level 2	 S&W Model 686	 .357 Magnum Jacketed Lead Soft Point	158	10.2	1250	1375	3
Level 3	 Colt Anaconda	 .44 Magnum Lead Semi-Wadcutter Gas Checked	240	15.6	1350	1485	3
Level 4	 Ruger American	 .30 Caliber Rifle Lead Core Soft Point (.30-06 caliber)	180	11.7	2540	2794	1
Level 5	 Springfield Armory M14	 7.62mm Rifle Lead Core, Full Metal Copper Jacket Military Ball (.308 caliber)	150	9.7	2750	3025	1
Level 6	 Beretta 92 Compact	 9mm Full Metal Copper Jacket with Lead Core	124	8.0	1400	1540	5
Level 7	 Colt AR15	 5.56mm Rifle Full Metal Copper Jacket with Lead Core	55	3.56	3080	3383	5
Level 8	 Springfield Armory M14	 7.62mm Rifle Lead Core Full Metal Copper Jacket Military Ball (.308 caliber)	150	9.7	2750	3025	5
Level 9	 M1 Garand	 .30 Caliber .30-06 Armor Piercing Full Metal Copper Jacket	166	10.8	2715	2987	1
Level 10	 Barrett 82A1	 .50 Caliber Rifle, Lead Core Full Metal Copper Jacket, Military Ball (M2)	709.5	45.9	2810	3091	1
Shotgun	 Benelli M2	 12-Gauge Rifled Lead Slug	1.0 oz.	28.3	1585	1744	3
		 12-Gauge 00 Buckshot (12 pellets)	1.5 oz.	42.0	1200	1320	3



United States Bullet Proofing (USBP) provides the most advanced Ballistics, Blast, Storm Impact and Forced Entry protection solutions available.

Our job is *Protecting People and Property®!*
Contact us today to discuss the protective needs of your next project.

 **1.800.363.8328**

 **INFO@USBP.COM**

 **USBP.COM**

 **16201 BRANCH COURT
UPPER MARLBORO, MD 20774**

**PROTECTING
PEOPLE AND PROPERTY®**

30+ YEARS EXPERIENCE



 **MADE IN THE USA**

REV 4.0